
MATERIAL SAFETY DATA SHEET





Product Identifier: SUPER HEAVY DUTY DEGREASER 3D						WHMIS Classification: SLIGHT		
Product Use: Degreaser & Cleaner					_			
Manufacturer's Name:		1						
ULTRA CHEM USA INC.				Suppliers Nam	ne			
Street Address: 1462 E. MISSION BOULEVARD				Street Address				
City: POMONA	Province:/ State			City			Province	
Postal Code: 91766	Emergency Telephone: 1-800-535-5053			Postal Code			Emergency Telephone	
Date MSDS Prepared: JULY 2011		MSDS Prepared by:				Phone Number: 909-620-0949		
SECTION 2 - COM	POSITION /	INFORMATI	ON ON I	NGRED	IENTS			
Hazardous Ingredients (specific)		%	CASI	Number		Ingredient cies and route)	LC ₅₀ of Ingredient (specify species)	
N-BUTOXYPR	OPANOL	3	5131-66-8		2200 mg/k	(g)oral, rat)	N/AV	
POTASSIUM HY	DROXIDE	0.5	1310	1310-58-3		g (oral, rat)	N/AV	
WATER	₹	96.5	7732	7732-18-5		'AV	N/AV	
SECTION 3 - HAZ	ARDS IDENT	(IFICATION			·			
Route of Entry	Contact S	Skin Absorption	■ Eye	Contact	🗇 inhalati	ion =	Ingestion	
[Emergency Overview]			•					
[WHMIS Symbols]	T							
[Potential Health Effects]		esuas druina de	-fatting and	dormotitie	- of okin			
Prolonged or repeated	exposure can c	ause arying, de	fatting and	dermauus	S OI SKIII.			
SECTION 4 - FIRS	T AID MEAS	URES						
Skin Contact								
Eye Contact	Flush with copious amounts of potable water. If irritation persists, seek medical attention Eye Contact							
	Flush with copious amounts of potable water. Seek medical attention.							
Inhalation: Remove to fresh air. If	discomfort pers	sists obtain med	dical attentic	on.				
Ingestion Drink 3-4 glasses of mi					ical Attention			
Dillik 3-4 glasses of ill	IK OI Water. Do	NOT INDOOL	vorming. C	CER WICE	Cai Attornion			

i loddot idelitiller ool Ett lie	EAVY DUTY DEGREASE	R 3D	Page 2/4	
SECTION 5 - FIRE FIGH	HTING MEASURES			
Flammable	If yes, under which cond	ditions?		
. Ves No Means of Extinction				_
As for surrounding Fire. Norm	nal Fi <u>re - Fighting Proced</u> u	ures		
Flashpoint (°C) and Method	Upper Flammable Limit N/AP	(% by volume)	Lower Flammable Limit (% by volum N/AP	е)
Autoignition Temperature (°C) N/AP	Explosion Data - Sensit N/AP	tivity to Impact	Explosion Data - Sensivity to Static IN/AP	Discharge
Hazardous Combustion Products OXIDES OF CARBON, OXID	ES OF NITROGEN			
INFPAI NONE	100 01 111110 0			
SECTION 6 - ACCIDEN	TAL RELEASE MEA	SURES		
Leak and Spill Procedures RINSE WITH COPIOUS AMO	OUNTS OF WATER AND	LET DRY		
SECTION 7 - HANDLIN	G AND STORAGE			
				
Handling Procedures and Equipment NORMAL HANDLING PROC	EDURES			
	EDURES			
NORMAL HANDLING PROC				
NORMAL HANDLING PROC		NDED TEMPER	RATURE: 15c	
NORMAL HANDLING PROC		NDED TEMPER	RATURE: 15c	
NORMAL HANDLING PROC	ED AREAS, RECOMMEN			
NORMAL HANDLING PROCESTORE IN WELL VENTILATE SECTION 8 - EXPOSURE EXPOSURE Limits	ED AREAS, RECOMMEN	SONAL PRO	OTECTION	
NORMAL HANDLING PROCESTORE IN WELL VENTILATE SECTION 8 - EXPOSURE	TED AREAS, RECOMMEN RE CONTROL / PER TLV			
NORMAL HANDLING PROCESTORE IN WELL VENTILATE SECTION 8 - EXPOSUF Exposure Limits . N/AV	TED AREAS, RECOMMEN RE CONTROL / PER TLV	SONAL PRO	OTECTION	
Storage Requirements STORE IN WELL VENTILATI SECTION 8 - EXPOSUF Exposure Limits . N/AV	RE CONTROL / PER TLV	SONAL PRO	OTECTION Other (specify)	her

Product Identifier SUPER HEAVY	DUTY DEGREASER 3D

page 3/4

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odour and Appearance Mild odor, redish color solution	Odour Threshold (ppm) N/AP	
Specific Gravity 1.03	Vapour Density (air = 1) 4.1	Vapour Pressure (mmHg) 8.2	
Evaporation Rate as water	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C	
_{рН} 10.5±11.5	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%	

SECTION 10 - STABILITY AND REACTIVITY

Chemica	Stability			If no, under which conditions?
	Yes		No	
Incompat	ibility with Other Substances	Ø	No	. If yes, which ones? Strong oxidizing agents, oxides of carbon
Reactivit	y, and under what conditions?			
Heate	ed to 250°C			
Hazardo	us Decomposition Products			
None				

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure	
Inhalation, eye and skin contact may caus	e burns.
Ingestion may cause burns to mouth, throa	at and abdomen
Effects of Chronic Exposure	
Prolonged or repeated exposure can caus	e drying, defatting and dermatitis of skin
Irritancy of Product contact with eyes / skin	
Skin Sensitization N/AV	Respiratory Sensitization N/AP
Carcinogenicity -IARC	Carcinogenicity - ACGIH
No	No
Reproductive Toxicity	Teratogenicity NI/AV/

Embryotoxicity N/AP		Mutagenicity N/AV		
Name of Synergistic Products / Effects N/AV		IN/AV		
IV/AV				
Product Identifier SUPER HEAVY DUTY DEGRE	ASER 3D		Page 4/4	
SECTION 12 - ECOLOGICAL INFORMAT	ION			
Aquatic Toxicity Ecotoxicity: N/A Persistance	e: N/A	Bioaccumlicat	ve: N/A	
Aquatic Toxicity= N/A				
BOD and COD = N/A				
Products of Biodegradation= Short Term not likely				
SECTION 13 - DISPOSAL CONSIDERATION	ONS			
Waste Disposal According to local, state and federal government req	uirements			
, containing to the same of th	14			
SECTION 14 - TRANSPORT INFORMATION	ON			
Special Shipping Information: Normal procedures. Keep from freezing.				
,			PIN	
TDG: Caustic alkali liquid; nos (potassium hydroxide)	[DOT]		L	
[IMO]	[ICAO]			
SECTION 15 - REGULATORY INFORMAT	TION			
[WHMIS Classification] Class D Div 2 Materials Causing Other Toxic Effects	[OSHA]			
[SERA]	[TSCA]			
This product has been class Controlled Products Regulations (CPR)				
SECTION 16 - OTHER INFORMATION	and the MODE	CORRECTION OF THE INTERNAL	iation required by or	
Notice to Reader:				
To the best of our knowledge, the information containor any of its subsidiaries assumes any liability what herein. Final determination of suitability of any maunknown hazards and should be used with caution.	tsoever for t terial is the although ce	he accuracy or com sole responsibility of	pleteness of the information the user. All materials may	contained present