


Ultra-Q128

- Cleaner
- Detergent
- Deodorize
- Mildewstat (on hard inanimate surfaces)
- Disinfectant
- Fungicide (against pathogenic fungi)
- *Virucide



ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides 4.50%

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides 4.50%

INERT INGREDIENTS

91.00%

TOTAL

100.00%

ULTRACHEM LABS

Technology Working For You

Research, Development, Manufacturing & Marketing Of

- Floor Care Systems
- Carpet Care Systems
- Disinfectants And Multipurpose Cleaners
- Laundry Systems
- Warewash Systems
- Made To Be Safer For People, Property, & The Environment

Iso 9001 Registered / Certificate #97-483

ULTRAGENERAL CLEANING

Ultra Q-128

DESCRIPTION

'Q-128' is an effective disinfectant cleaner combined with Ultra Chem Labs' Electrolytic cleaner and a Quaternary formulation.

Germicidal Activity:

When used as directed, 'Q-128' exhibits effective against: Pseudomonas Aeruginosa, Staphylococcus Aureus, Salmonella Choleraesuis, Escherichia Coli, Salmonella Schottmeulleri, Brevibacterium Ammoniagenes Streptococcus Salivarius.

Fungicidal Effectiveness:

'Q-128' kills fungi, such as Trichophyton Interdigitale (Athlete's Foot Fungus at 1:128 water in the presence of 5% Blood Serum.

Virucidal Effectiveness:

'Q-128' is effective against Adeno Virus Type 2, Adeno Virus Type 5, Influenza A2(the Hong Kong Flu Virus), Herpes Simplex and HIV-1 Virus (AIDS).

DIRECTIONS

Disinfection:

To disinfect inanimate hard surfaces, add 1 ounce of Q-128 per 1 gallon of water. Apply solution with mop, cloth, sponge or mechanical sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use. To disinfect toilet bowls, flush toilet; add 1 ounce of the Q-128 directly to the bowl water. Swab the bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.

Bactericidal activity:

When diluted at the rate of 1 ounce per gallon of water, Q-128 exhibits effective disinfectant activity against organisms: Pseudomonas aeruginosa PRD-10, Escherichia coli, Klebsiella pneumoniae, Salmonella choleraesuis, Salmonella schottuelleri, Streptococcus pyogenes and meets all requirements for hospital use.

MildewStat:

To control mold and mildew on pre-cleaned, hard non-porous surfaces, add 1 ounce of the Q-128 per 1 gallon of water. Apply solution with cloth, mop or sponge making sure to wet all surfaces completely. Let air-dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth appears.

Fungicidal Activity: At the 1 ounce per gallon dilution, this product is also fungicidal against the pathogenic fungi, Trichophyton mentagrophytes.

Virucidal Activity:

This product, when used on environmental, inanimate hard surfaces at 1 ounces per gallon of water, exhibits effective virucidal activity against Influenza A2/Japan ('Associated with H1N1 flu virus), Herpes Simplex Type 1 (causative agent of fever blisters), Adenovirus type 2 (causative agent of upper respiratory infections), and Vaccinia Virus (representative of the pox virus group), and Influenza A/Brazil. Kills HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with Blood/body fluids in health care settings (hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus type-1 (HIV- 1)(associated with AIDS).

Special Instruction for cleaning and decontamination against HIV-1 of surfaces/objects soiled with blood/body fluids.

Personal protection:

When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

Cleaning Procedures:

Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time:

Allow surface to be remain wet for 10 minutes.

Disposal of Infectious Material:

Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.